

Please sign this page as confirmation of receipt of Addendum No. 1
and immediately scan and e-mail back to kkostowniak@townofhamburgny.gov and
jkiener@townofhamburgny.gov

FAILURE TO DO SO MAY DISQUALIFY THE BIDDER

Return to: Town of Hamburg Engineering Department
6100 South Park Avenue
Hamburg, NY 14075

Project: Burke Road Park Parking Lot Project
Project No. 2023-12
Town of Hamburg

Date: September 5, 2023

The addendum contains 3 pages, including this sheet. Please verify receipt of all pages.

Bidders may pick up a hard copy of Addendum No. 1 at the Town of Hamburg Engineering Office, 6100 South Park Avenue, Hamburg NY 14075.

It is required that you complete and e-mail this page back as soon as possible as confirmation of receipt of Addendum No. 1. This page is part of our permanent records.

Signature: _____

Date: _____

Contractor: _____

September 5, 2023

Please sign and e-mail the attached confirmation sheet as soon as possible and add the signed addendum to your bid package. **Failure to do so may disqualify the bidder.**

1. Correction: On SIC-1 under Bid ALT 1 item 2, the quantity is changed from 630' to 430'.

SPECIAL INSTRUCTIONS TO CONTRACTOR

- This project is located within a frequently used Town property that is open seven days a week. All work must be coordinated with the owner to ensure all areas stay operational during construction.

Project consists of:

Base Bid – Tree Clearing Area – Main Parking Lot (approx. 66,500 sq ft).

- 1) Tree cutting, Clearing, debris / stump removal, and grubbing of 66,500 +/- sq ft., see Figure 1 for approximate limits.
- 2) Contractor is responsible to remove and dispose all cut trees, stumps, grindings, and any related spoils related to this project.

Bid ALT 1 – Parking Area – Main Parking Lot (approx. 30,800 sq ft).

- 1) Grading subgrade and subbase to final subbase grade for a 30,800+/- sq. ft parking area.
- 2) Stone Parking area will be approximately 430' x 65' with a paved access driveway 24' wide by 70' long to Burke Road.
- 3) Parking area Placement and compaction of 8" CR #2 stone, and 2" minimum depth of No.1-A stone and rolled to a smooth drivable surface.
- 4) Access driveway shall be 24' wide by 70' long, 6" compacted C.R. #2 with 3" binder and 1 ½" 7F top.
- 5) Lawn area to be established 10' wide around parking area and between the parking area and athletic fields to match into the edge of fields.
- 6) Furnish and install swing gate at driveway (per Detail).
- 7) Furnish and install Signage to identify public parking area under Allowance.

General information